



Audubon's WatchList 2002-2006 in taxonomic order by geographic region

| Red List Species - Continental U.S. & Alaska | | |
|---|------------------------------------|-------------------|
| Common Name | Latin Name | Population |
| Yellow-billed Loon | <i>Gavia adamsii</i> | 23,500 |
| Black-footed Albatross | <i>Phoebastria nigripes</i> | 278,000 |
| Short-tailed Albatross | <i>Phoebastria albatrus</i> | 1,840 |
| Bermuda Petrel | <i>Pterodroma cahow</i> | 180 |
| Black-capped Petrel | <i>Pterodroma hasitata</i> | 10,500 |
| Pink-footed Shearwater | <i>Puffinus creatopus</i> | 70,500 |
| Black-vented Shearwater | <i>Puffinus opisthomelas</i> | 235,335 |
| Ashy Storm-Petrel | <i>Oceanodroma homochroa</i> | 5,200-10,000 |
| Red-faced Cormorant | <i>Phalacrocorax urile</i> | 200,000 |
| California Condor | <i>Gymnogyps californianus</i> | 270 (125 in wild) |
| Emperor Goose | <i>Chen canagica</i> | 84,500 |
| Steller's Eider | <i>Polysticta stelleri</i> | 220,000 |
| Spectacled Eider | <i>Somateria fischeri</i> | 360,000 |
| Gunnison Sage-Grouse | <i>Centrocercus minimus</i> | 3,500 |
| Greater Prairie-Chicken | <i>Tympanuchus cupido</i> | 690,000 |
| Lesser Prairie-Chicken | <i>Tympanuchus pallidicinctus</i> | 20,000 |
| Black Rail | <i>Laterallus jamaicensis</i> | Unknown |
| Whooping Crane | <i>Grus americana</i> | 475 (340 in wild) |
| Snowy Plover | <i>Charadrius alexandrinus</i> | 370,000 |
| Piping Plover | <i>Charadrius melodus</i> | 6,410 |
| Mountain Plover | <i>Charadrius montanus</i> | 9,000 |
| Eskimo Curlew | <i>Numenius borealis</i> | <50 |
| Bristle-thighed Curlew | <i>Numenius tahitiensis</i> | 10,000 |
| Long-billed Curlew | <i>Numenius americanus</i> | 20,000 |
| Buff-breasted Sandpiper | <i>Tryngites subruficollis</i> | 15,000 |
| Heermann's Gull | <i>Larus heermanni</i> | 525,000 |
| Red-legged Kittiwake | <i>Rissa brevirostris</i> | 168,000 |
| Elegant Tern | <i>Sterna elegans</i> | 70,500 |
| Marbled Murrelet | <i>Brachyramphus marmoratus</i> | 617,500 |
| Kittlitz's Murrelet | <i>Brachyramphus brevirostris</i> | 13,000-35,000 |
| Xantus's Murrelet | <i>Synthliboramphus hypoleucus</i> | 9,750 |
| Craveri's Murrelet | <i>Synthliboramphus craveri</i> | 17,500 |
| Green Parakeet | <i>Aratinga holochlora</i> | 200,000 |
| Thick-billed Parrot | <i>Rhynchopsitta pachyrhyncha</i> | 2,500 |
| Red-crowned Parrot | <i>Amazona viridigenalis</i> | <5,000 |
| Spotted Owl | <i>Strix occidentalis</i> | 15,000 |
| Nuttall's Woodpecker | <i>Picoides nuttallii</i> | 290,000 |
| Arizona Woodpecker | <i>Picoides arizonae</i> | 200,000 |
| Red-cockaded Woodpecker | <i>Picoides borealis</i> | 20,000 |
| Ivory-billed Woodpecker | <i>Campephilus principalis</i> | At least one! |
| Bell's Vireo | <i>Vireo bellii</i> | 1,500,000 |
| Black-capped Vireo | <i>Vireo atricapillus</i> | 8,000 |
| Florida Scrub-Jay | <i>Aphelocoma coerulescens</i> | 8,000 |
| Island Scrub-Jay | <i>Aphelocoma insularis</i> | 9,000 |
| California Gnatcatcher | <i>Polioptila californica</i> | 77,000 |
| Bicknell's Thrush | <i>Catharus bicknelli</i> | 40,000 |

| Common Name | Latin Name | Population |
|--------------------------------|----------------------------------|----------------|
| Bendire's Thrasher | <i>Toxostoma bendirei</i> | 170,000 |
| Sprague's Pipit | <i>Anthus spragueii</i> | 870,000 |
| Bachman's Warbler | <i>Vermivora bachmanii</i> | Likely Extinct |
| Golden-winged Warbler | <i>Vermivora chrysoptera</i> | 210,000 |
| Colima Warbler | <i>Vermivora crissalis</i> | 25,000 |
| Golden-cheeked Warbler | <i>Dendroica chrysoparia</i> | 9,600-32,000 |
| Kirtland's Warbler | <i>Dendroica kirtlandii</i> | 2,830 |
| Cerulean Warbler | <i>Dendroica cerulea</i> | 560,000 |
| Swainson's Warbler | <i>Limnithlypis swainsonii</i> | 84,000 |
| Rufous-winged Sparrow | <i>Aimophila carpalis</i> | 74,000 |
| Bachman's Sparrow | <i>Aimophila aestivalis</i> | 250,000 |
| Five-striped Sparrow | <i>Aimophila quinquestriata</i> | 200,000 |
| Baird's Sparrow | <i>Ammodramus bairdii</i> | 1,200,000 |
| Henslow's Sparrow | <i>Ammodramus henslowii</i> | 79,000 |
| Nelson's Sharp-tailed Sparrow | <i>Ammodramus nelsoni</i> | 510,000 |
| Saltmarsh Sharp-tailed Sparrow | <i>Ammodramus caudacutus</i> | 250,000 |
| McCown's Longspur | <i>Calcarius mccownii</i> | 1,100,000 |
| McKay's Bunting | <i>Plectrophenax hyperboreus</i> | 6,000 |
| Audubon's Oriole | <i>Icterus graduacauda</i> | 200,000 |
| Brown-capped Rosy-Finch | <i>Leucosticte australis</i> | 45,000 |
| Lawrence's Goldfinch | <i>Carduelis lawrencei</i> | 150,000 |

Red List Species - Hawaii/Pacific U.S. Territories

| | | |
|-------------------------|---------------------------------|-------------------------------|
| Hawaiian Petrel | <i>Pterodroma sandwichensis</i> | 3,000 |
| Newell's Shearwater | <i>Puffinus auricularis</i> | 43,800 |
| Tristram's Storm-Petrel | <i>Oceanodroma tristrami</i> | 16,500 |
| Hawaiian Goose | <i>Branta sandvicensis</i> | 1,050 |
| Hawaiian Duck | <i>Anas wyvilliana</i> | 2,200-2,525 |
| Laysan Duck | <i>Anas laysanensis</i> | 375-500 |
| Hawaiian Hawk | <i>Buteo solitarius</i> | 2,150 |
| Hawaiian Coot | <i>Fulica alai</i> | 3,000 |
| Hawaiian Crow | <i>Corvus hawaiiensis</i> | 50 in captivity (ext.in wild) |
| 'Elepaio | <i>Chasiempis sandwichensis</i> | 237,000 |
| Millerbird | <i>Acrocephalus familiaris</i> | 31-731 |
| Kama'o | <i>Myadestes myadestinus</i> | Likely extinct |
| Oloma'o | <i>Myadestes lanaiensis</i> | Likely extinct |
| Oma'o | <i>Myadestes obscurus</i> | 170,000 |
| Puaiohi | <i>Myadestes palmeri</i> | 200-300 |
| Laysan Finch | <i>Telespiza cantans</i> | 12,500 |
| Nihoa Finch | <i>Telespiza ultima</i> | 1,500-3,200 |
| 'O'u | <i>Psittirostra psittacea</i> | <50 |
| Palila | <i>Loxioides bailleui</i> | 3,635 |
| Maui Parrotbill | <i>Pseudonestor xanthophrys</i> | 500 |
| O'ahu 'Amakihi | <i>Hemignathus chloris</i> | 40,000 |
| Kaua'i 'Amakihi | <i>Hemignathus kauaiensis</i> | 17,500 |
| 'Anianiau | <i>Hemignathus parvus</i> | 44,359 |
| Nukupu'u | <i>Hemignathus lucidus</i> | <50 |
| 'Akiapola'au | <i>Hemignathus munroi</i> | 1163 |
| 'Akikiki | <i>Oreomystis bairdi</i> | 1,472 |
| Hawaii Creeper | <i>Oreomystis mana</i> | 6,250 |
| O'ahu 'Alauahio | <i>Paroreomyza maculata</i> | Likely extinct |
| Maui 'Alauahio | <i>Paroreomyza montana</i> | 17,100 |
| 'Akeke'e | <i>Loxops caeruleirostris</i> | 20,657 |
| 'Akepa | <i>Loxops coccineus</i> | 14,000 |
| 'I'iwi | <i>Vestiaria coccinea</i> | 350,000 |

Audubon WatchList 2002-2006

| Common Name | Latin Name | Population |
|-------------|-------------------------------|-------------|
| 'Akohekohe | <i>Palmeria dolei</i> | 3,750-3,800 |
| Po'o-uli | <i>Melamprosops phaeosoma</i> | 3 |

Red List Species - Puerto Rico/U.S. Virgin Islands

| | | |
|-----------------------------|--------------------------------|---------|
| West Indian Whistling-Duck | <i>Dendrocygna arborea</i> | 15,000 |
| Caribbean Coot | <i>Fulica caribaea</i> | Unknown |
| Plain Pigeon | <i>Columba inornata</i> | 1,750 |
| Puerto Rican Parrot | <i>Amazona vittata</i> | 44 |
| Puerto Rican Nightjar | <i>Caprimulgus noctitherus</i> | 1,700 |
| Elfin-woods Warbler | <i>Dendroica angelae</i> | 600 |
| Yellow-shouldered Blackbird | <i>Agelaius xanthomus</i> | 1,250 |

Yellow List Species - Continental U.S. & Alaska

| | | |
|------------------------|-----------------------------------|-------------|
| Laysan Albatross | <i>Phoebastria immutabilis</i> | 874,000 |
| Buller's Shearwater | <i>Puffinus bulleri</i> | 2.5 million |
| Black Storm-Petrel | <i>Oceanodroma melania</i> | 3 million |
| Least Storm-Petrel | <i>Oceanodroma microsoma</i> | 1 million |
| Reddish Egret | <i>Egretta rufescens</i> | 45,000 |
| Brant | <i>Branta bernicla</i> | 544,400 |
| Trumpeter Swan | <i>Cygnus buccinator</i> | 23,647 |
| American Black Duck | <i>Anas rubripes</i> | 910,000 |
| Mottled Duck | <i>Anas fulvigula</i> | 660,000 |
| Harris's Hawk | <i>Parabuteo unicinctus</i> | 390,000 |
| Swainson's Hawk | <i>Buteo swainsoni</i> | 490,000 |
| Ferruginous Hawk | <i>Buteo regalis</i> | 23,000 |
| Greater Sage-Grouse | <i>Centrocercus urophasianus</i> | 150,000 |
| Blue Grouse | <i>Dendragapus obscurus</i> | 2.6 million |
| Mountain Quail | <i>Oreortyx pictus</i> | 160,000 |
| Montezuma Quail | <i>Cyrtonyx montezumae</i> | 1.5 million |
| Yellow Rail | <i>Coturnicops noveboracensis</i> | 17,500 |
| American Golden-Plover | <i>Pluvialis dominica</i> | 150,000 |
| Pacific Golden-Plover | <i>Pluvialis fulva</i> | 195,000 |
| Wilson's Plover | <i>Charadrius wilsonia</i> | 6,000 |
| American Oystercatcher | <i>Haematopus palliatus</i> | 72,000 |
| Black Oystercatcher | <i>Haematopus bachmani</i> | 8,850 |
| Whimbrel | <i>Numenius phaeopus</i> | 1,550,000 |
| Hudsonian Godwit | <i>Limosa haemastica</i> | 50,000 |
| Bar-tailed Godwit | <i>Limosa lapponica</i> | 1,085,000 |
| Marbled Godwit | <i>Limosa fedoa</i> | 172,500 |
| Black Turnstone | <i>Arenaria melanocephala</i> | 80,000 |
| Surfbird | <i>Aphriza virgata</i> | 70,000 |
| Red Knot | <i>Calidris canutus</i> | 1.1 million |
| Purple Sandpiper | <i>Calidris maritima</i> | 195,000 |
| Rock Sandpiper | <i>Calidris ptilocnemis</i> | 165,000 |
| Short-billed Dowitcher | <i>Limnodromus griseus</i> | 320,000 |
| American Woodcock | <i>Scolopax minor</i> | 5 million |
| Wilson's Phalarope | <i>Phalaropus tricolor</i> | 1.5 million |
| Yellow-footed Gull | <i>Larus livens</i> | 60,000 |
| Whiskered Auklet | <i>Aethia pygmaea</i> | 100,000 |
| White-crowned Pigeon | <i>Columba leucocephala</i> | 550,000 |
| Band-tailed Pigeon | <i>Columba fasciata</i> | 3.9 million |
| Flammulated Owl | <i>Otus flammeolus</i> | 37,000 |
| Whiskered Screech-Owl | <i>Otus trichopsis</i> | 200,000 |
| Elf Owl | <i>Micrathene whitneyi</i> | 190,000 |
| Short-eared Owl | <i>Asio flammeus</i> | 2.4 million |
| Antillean Nighthawk | <i>Chordeiles gundlachi</i> | 200,000 |

Audubon WatchList 2002-2006

| Common Name | Latin Name | Population |
|--------------------------|-----------------------------------|-------------|
| Black Swift | <i>Cypseloides niger</i> | 150,000 |
| White-throated Swift | <i>Aeronautes saxatalis</i> | 410,000 |
| Buff-bellied Hummingbird | <i>Amazilia yucatanensis</i> | 2 million |
| Lucifer Hummingbird | <i>Calothorax lucifer</i> | 200,000 |
| Costa's Hummingbird | <i>Calypte costae</i> | 3.6 million |
| Calliope Hummingbird | <i>Stellula calliope</i> | 1 million |
| Rufous Hummingbird | <i>Selasphorus rufus</i> | 6.5 million |
| Allen's Hummingbird | <i>Selasphorus sasin</i> | 530,000 |
| Lewis's Woodpecker | <i>Melanerpes lewis</i> | 130,000 |
| Red-headed Woodpecker | <i>Melanerpes erythrocephalus</i> | 2.5 million |
| White-headed Woodpecker | <i>Picoides albolarvatus</i> | 72,000 |
| Gilded Flicker | <i>Colaptes chrysoides</i> | 1.1 million |
| Olive-sided Flycatcher | <i>Contopus cooperi</i> | 1.2 million |
| Willow Flycatcher | <i>Empidonax traillii</i> | 3.3 million |
| Thick-billed Kingbird | <i>Tyrannus crassirostris</i> | 2 million |
| Gray Vireo | <i>Vireo vicinior</i> | 410,000 |
| Pinyon Jay | <i>Gymnorhinus cyanocephalus</i> | 4.1 million |
| Yellow-billed Magpie | <i>Pica nuttalli</i> | 180,000 |
| Tamaulipas Crow | <i>Corvus imparatus</i> | 200,000 |
| Oak Titmouse | <i>Baeolophus inornatus</i> | 900,000 |
| Brown-headed Nuthatch | <i>Sitta pusilla</i> | 1.5 million |
| Black-capped Gnatcatcher | <i>Polioptila nigriceps</i> | 200,000 |
| Wood Thrush | <i>Hylocichla mustelina</i> | 14 million |
| Wrentit | <i>Chamaea fasciata</i> | 1.5 million |
| Curve-billed Thrasher | <i>Toxostoma curvirostre</i> | 2.3 million |
| California Thrasher | <i>Toxostoma redivivum</i> | 220,000 |
| Le Conte's Thrasher | <i>Toxostoma lecontei</i> | 190,000 |
| Blue-winged Warbler | <i>Vermivora pinus</i> | 390,000 |
| Virginia's Warbler | <i>Vermivora virginiae</i> | 410,000 |
| Lucy's Warbler | <i>Vermivora luciae</i> | 1.2 million |
| Hermit Warbler | <i>Dendroica occidentalis</i> | 2.4 million |
| Grace's Warbler | <i>Dendroica graciae</i> | 2 million |
| Prairie Warbler | <i>Dendroica discolor</i> | 1.4 million |
| Bay-breasted Warbler | <i>Dendroica castanea</i> | 3.1 million |
| Prothonotary Warbler | <i>Protonotaria citrea</i> | 1.8 million |
| Worm-eating Warbler | <i>Helmitheros vermivorus</i> | 750,000 |
| Kentucky Warbler | <i>Oporornis formosus</i> | 1.1 million |
| Canada Warbler | <i>Wilsonia canadensis</i> | 1.4 million |
| Red-faced Warbler | <i>Cardellina rubrifrons</i> | 430,000 |
| Abert's Towhee | <i>Pipilo aberti</i> | 230,000 |
| Botteri's Sparrow | <i>Aimophila botterii</i> | 2 million |
| Brewer's Sparrow | <i>Spizella breweri</i> | 16 million |
| Black-chinned Sparrow | <i>Spizella atrogularis</i> | 390,000 |
| Seaside Sparrow | <i>Ammodramus maritimus</i> | 110,000 |
| Harris's Sparrow | <i>Zonotrichia querula</i> | 3.7 million |
| Painted Bunting | <i>Passerina ciris</i> | 4.5 million |
| Dickcissel | <i>Spiza americana</i> | 22 million |
| Tricolored Blackbird | <i>Agelaius tricolor</i> | 250,000 |
| Rusty Blackbird | <i>Euphagus carolinus</i> | 2 million |
| Black Rosy-Finch | <i>Leucosticte atrata</i> | 20,000 |